

The Impact of Pseudobulbar Affect (PBA)

Onscreen Text: The Impact of Pseudobulbar Affect (PBA)

Patient images reflect their health status at the time the video was taken. The following are real patients and caregivers who have been compensated by Otsuka America Pharmaceutical, Inc., for their time.

NUEDEXTA® (dextromethorphan HBr and quinidine sulfate) is approved for the treatment of PBA and is proven to reduce PBA episodes.

NUEDEXTA is not approved to treat the impact of PBA.

Onscreen Text:

The impact of PBA can be substantial. PBA may affect personal relationships, work, and social activities.

NUEDEXTA® (dextromethorphan HBr and quinidine sulfate) is approved for the treatment of PBA and is proven to reduce PBA episodes.

NUEDEXTA is not approved to treat the impact of PBA.

Onscreen Text:

Patients with PBA may feel embarrassed, isolated, and may avoid certain situations.

NUEDEXTA® (dextromethorphan HBr and quinidine sulfate) is approved for the treatment of PBA and is proven to reduce PBA episodes.

NUEDEXTA is not approved to treat the impact of PBA.

Onscreen Text:

Mary Beth Living with Epilepsy and PBA

Mary Beth: The PBA uh.. definitely changed the way I had to live. I lost a roommate because it became too uncomfortable for them.

Mary Beth: I would say it got worse as time went on I had had it enough to where I'd lost most of my uh.. work and uhm.. friends, so I was really kind of isolated.

Onscreen Text:

Carol Living with PBA due to TBI

Carol: We had a great social life, we had a lot of friends, we were active, we liked to go to the driving range, play golf, all that came to a halt.



NUEDEXTA®

(dextromethorphan HBr and 20 mg
quinidine sulfate) capsules 10 mg

Carol: It wears on the family after a year of going through this, after everything revolved around me and my care and my health and my recovery and it definitely took its toll.

Onscreen Text:

Robert Living with PBA due to TBI

Robert: It- it's an emotional and- and physically uhm.. exerting situation, uh.. especially when it's the boohoo cry, I call it when you're-- when you're confronting people with people, they want to know what's wrong and I couldn't tell them. I couldn't stop. I didn't have control. That was-- that was the main issue. I did not have control.

Onscreen Text:

Sequena Living with Stroke and PBA

Sequena: My kids seeing uhm.. me have a PBA episode it hurt, it hurt I would try to hide it as much as possible and go- go in my room, take a breather until it passed not knowing how long it would take for them to pass, you know, sometimes it could be a minute, Three minutes, four minutes, five minutes.

Onscreen Text:

Liyah Caregiver for her mother Sequena

Liyah: Originally before the PBA was like late elementary school for me and my mom had always been the type to like, sign up for every field day, sign up for every PTA meeting, everything like that. And so it was suddenly like a drop off, like, she was not there. And so when she was having those PBA symptoms, I was just like, there is something not right, because if my mom could she would be there for me. There is no reason that she wouldn't. So I knew that there had to be something extremely wrong.

Carol: I was told that if I couldn't control my crying at school then I would no longer be able to work as a librarian it was a very painful, difficult time. And on top of all this I didn't feel sad. <laughs> I- I knew I was healing from an injury but I felt like this did not reflect who I was.

Mary Beth: My neurologist when she told me it was PBA...

Mary Beth: I- I think I was so shocked I- I questioned her and she- she repeated it to me uh.. the neurologist repeated and I just remember such a sigh of relief because now it had a name, it was real and there's something I could do about it.

Onscreen Text:

Talk to a healthcare specialist experienced in treating PBA

PBA is treatable

Please keep watching for NUEDEXTA Indication and IMPORTANT SAFETY INFORMATION.

Onscreen Text and Narrator:

INDICATION and IMPORTANT SAFETY INFORMATION for NUEDEXTA® (dextromethorphan HBr and quinidine sulfate)

INDICATION:



Otsuka

Otsuka America Pharmaceutical, Inc.

NUEDEXTA®

(dextromethorphan HBr and 20 mg
quinidine sulfate) capsules 10 mg

NUEDEXTA is approved for the treatment of Pseudobulbar Affect (PBA).

PBA is a medical condition that causes involuntary, sudden, and frequent episodes of crying and/or laughing in people living with certain neurologic conditions or brain injury. PBA episodes are typically exaggerated or don't match how the person feels. PBA is distinct and different from other types of emotional changes caused by neurologic disease or injury.

NUEDEXTA is only available by prescription.

IMPORTANT SAFETY INFORMATION:

Before you take NUEDEXTA, tell your doctor:

- If you are taking monoamine oxidase inhibitors (MAOIs), quinidine, or quinidine-related drugs. These can interact with NUEDEXTA causing serious side effects. MAOIs cannot be taken within 14 days before or after taking NUEDEXTA.
- If you have previously had an allergic reaction to dextromethorphan, quinidine or quinidine-like drugs.
- About all medicines, herbal supplements, and vitamins you take as NUEDEXTA and certain other medicines can interact causing side effects.
- If you have had heart disease or have a family history of heart rhythm problems. NUEDEXTA may cause serious side effects, including changes in heart rhythm. If you have certain heart problems, NUEDEXTA may not be right for you. Your doctor may test your heart rhythm (heartbeats) before you start NUEDEXTA.
- If you have myasthenia gravis.

While taking NUEDEXTA, call your doctor right away:

- If you feel faint or lose consciousness.
- If you experience lightheadedness, chills, fever, nausea, or vomiting as these may be signs of an allergic reaction to NUEDEXTA. Hepatitis has been seen in patients taking quinidine, an ingredient in NUEDEXTA.
- If you have unexplained bleeding or bruising. Quinidine, an ingredient in NUEDEXTA, can cause a reduction in the number of platelets in your blood which can be severe and, if left untreated, can be fatal.
- If you feel dizzy, since it may increase your risk of falling.
- If you have muscle twitching, confusion, high blood pressure, fever, restlessness, sweating, or shivering, as these may be signs of a potential drug interaction called serotonin syndrome.

The most common side effects of NUEDEXTA include: diarrhea, dizziness, cough, vomiting, weakness, and swelling of feet and ankles. This is not a complete list of side effects. Tell your doctor about any side effect that bothers you or does not go away.

You are encouraged to report side effects of NUEDEXTA® (dextromethorphan HBr and quinidine sulfate). Please contact Otsuka America Pharmaceutical, Inc. at 1-800-438-9927 or FDA at 1-800-FDA-1088 (www.fda.gov/medwatch).

Please see **FULL PRESCRIBING INFORMATION** at www.NUEDEXTA.com

Onscreen Text:

NUEDEXTA[®]

(dextromethorphan HBr and $\frac{20}{10}$ mg
quinidine sulfate) capsules

PBA is treatable

Talk to a healthcare specialist experienced in treating PBA

[NUEDEXTA logo]

Onscreen Text:

© 2023 Otsuka America Pharmaceutical, Inc. All rights reserved. NUEDEXTA[®] is a registered trademark of Avanir Pharmaceuticals, Inc. and used under license by Otsuka America Pharmaceutical, Inc. July 2023 18US23EBC0052



Otsuka

Otsuka America Pharmaceutical, Inc.